WEST

Generate Collection

L3: Entry 20 of 25

File: EPAB

Oct 10, 1991

PUB-NO: DE003583987A1

DOCUMENT-IDENTIFIER: DE 3583987 A1 TITLE: TITLE DATA NOT AVAILABLE

PUBN-DATE: October 10, 1991

APPL-NO: DE03583987

APPL-DATE: October 31, 1985

PRIORITY-DATA: DE03583987A (October 31, 1985)

INT-CL (IPC): A61K 37/02; C07K 7/10; C12P 21/02

ABSTRACT:

A new antibiotic, designated epidermin (I), has the prim. structure: Staphylococcus <u>epidermidis</u> DSM 3095, which is resistant to (I), is new. (I) is made by aerobic cultivation of DSM 3095 at 34-37 deg.C on a complex nutrient soln. contg. 2-4% N source (e.g meat extract), 1-3% sugar or sugar alcohol; 0.25-1% alkaline earth carbonate and/or 0.25-0.5% alkaline earth hydroxide. The cells and inorganic salts are removed, then (I) <u>isolated</u> by (a) extracting with butanol at pH 8, evaporating the extract, dissolving the residue in MeOH and pptn. of lipids with ether or (b) adsorbing onto acrylic ester or polystyrene polymers, eluting with 99:1 MeOH-concn. H2SO4, neutralising with NH3 and evaporating in vacuo. The <u>isolate</u> is then chromatographed on 'Sephadex LH-20'(RTM) to remove low mol.wt. <u>peptides</u> amino acid and salts, and subjected to liq-liq partitioning first in 3:1:3 n-butanol/ethyl acetate/0.1N acetic acid ((I) remaining at the starting position) and then in the neutral system 1:1 2-butanol/0.05N NH4 acetate. <u>Purified</u> (I) is recovered as a colourless powder by freeze-drying.

WEST

Generate Collection

L3: Entry 24 of 25

File: DWPI

Jun 10, 1997

DERWENT-ACC-NO: 1990-016158

DERWENT-WEEK: 199944

COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: Isolating epidermin from staphylococcus epidermidis culture - by adsorption on styrene! based copolymer, elution and chromatography on cation exchanger, useful as antibiotic for treating skin infections

INVENTOR: FIEDLER, H; HOERNER, T; JUNG, G; KELLNER, R; WERNER, R; ZAEHNER, H;

FIEDLER, HP; HORNER, T; KELLNER, JR; WERNER, RG; ZAHNER, H

PATENT-ASSIGNEE:

ASSIGNEE

CODE

THOMAE GMBH KARL

THOM

PRIORITY-DATA: 1988US-0219698 (July 15, 1988)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
KR 9709289 B1	June 10, 1997		000	C07K001/14
EP 350810 A	January 17, 1990	G	018	
AU 8938103 A	January 18, 1990		000	
PT 91171 A	February 8, 1990		000	
DK 8903506 A	January 16, 1990		000	
JP 02084194 A	March 26, 1990		000	
ZA 8905362 A	March 27, 1991		000	
EP 350810 B1	September 29, 1993	G	021	C07K001/14
DE 58905744 <i>G</i>	November 4, 1993		000	C07K001/14
ES 2059645 T3	November 16, 1994		000	C07K001/14
IE 62402 B	January 25, 1995		000	C07K001/14
CA 1336896 C	September 5, 1995		000	C12P021/02
JP 2777205 B2	July 16, 1998		012	C12P021/02

DESIGNATED-STATES: AT BE CH DE ES FR GB GR IT LI LU NL SE AT BE CH DE ES FR GB GR IT LI LU NL SE

CITED-DOCUMENTS:1.Jnl.Ref; A3...9139; EP 181578; EP 27710; No-SR.Pub

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
KR 9709289B1	July 15, 1989	1989KR-0010095	
EP 350810A	July 7, 1989	1989EP-0112446	
JP02084194A	July 14, 1989	1989JP-0182372	
ZA 8905362A	July 14, 1989	1989ZA-0005362	
EP 350810B1	July 7, 1989	1989EP-0112446	
DE58905744 <i>G</i>	July 7, 1989	1989DE-0505744	
DE58905744G	July 7, 1989	1989EP-0112446	
DE58905744G		EP 350810	Based on
ES 2059645T3	July 7, 1989	1989EP-0112446	
ES 2059645T3		EP 350810	Based on
IE 62402B	July 14, 1989	1989IE-0002283	
CA 1336896C	July 14, 1989	1989CA-0605673	
JP 2777205B2	July 14, 1989	1989JP-0182372	
JP 2777205B2		JP 2084194	Previous Publ.

INT-CL (IPC): A61K 0/00; C07G 11/00; C07K 1/14; C07K 3/12; C07K 7/10; C07K 15/04; C07K 17/10; C12N 11/08; C12P 1/04; C12P 21/02; C12R 1/45; C12P 21/02; C12R 1/45

ABSTRACTED-PUB-NO: EP 350810A BASIC-ABSTRACT:

the <u>polypeptide</u> antibiotic epidermin (I) is <u>isolated and purified</u> from a culture of a Staphylococcus <u>epidermidis</u> strain by (a) applying the culture broth or filtrate to a styrene-dirinyl copolymer (A), (2) eluting active ingredients with MeOH-dil HCl, (3) adjusting eluate to pH 5.3-5.8; (4) applying to a weak cation exchanger (B) (5) washing-out non-bound cpds. with pH7 buffer, (6) eluting (I) with pH 6-8 buffer contg. and MeOH, (7) readsorbing (I) onto (A) washing the resin with water (desalting) and eluting with MeOH-MeCOOH mitd., (8) evaporating or freeze-drying the eluate, and opt. (9) further pruifying by h.p.l.c.

The S. epidermidis strains used are pref. DSM 3095 or NC18 11536.

USE/ADVANTAGE - (I) is known for treatment of skin infections such as eczema, impetigo, cellulitis and acne. This method is simple and produces significantly higher yields of (I) then known processes. ABSTRACTED-PUB-NO:

EP 350810B EQUIVALENT-ABSTRACTS:

Process for isolating epidermin from a culture broth or a culture filtrate of a strain of Staphylococcus epidermidis and for purifying this substrate, characterised in that (a) the culture filtrate or culture broth is added to a styrene-divinyl copolymer, (b) the active component is released from the resin by

elution with methanol/duluted hydrochloric acid, (c) the eluate is adjusted to a pH of 5.3 to 5.8, (d) the eluate is placed on a weak catin exchanger, (e) non-bound substances are subsequently washed out with a buffer solution at pH 7, (f) the active component is eluted out of the cation exchanger with a solution consisting of buffer substance, sodium chloride and methanol at pH 6.0 to 8.0 and for purification washed with water in order to remove salts and the epidermin is released from the resin with a methanol/acetic acid mixture and the solution is evaporated or freeze-dried, whilst the epidermin thus obtained may subsequently also be subjected to high performance liquid chromatography for extra purification.

CHOSEN-DRAWING: Dwg.0/10 Dwg.0/10

TITLE-TERMS: ISOLATE STAPHYLOCOCCUS CULTURE ADSORB POLYSTYRENE BASED COPOLYMER ELUTION CHROMATOGRAPHY CATION EXCHANGE USEFUL ANTIBIOTIC TREAT SKIN INFECT

DERWENT-CLASS: A96 B04 D16

CPI-CODES: A04-B10; A04-C04; A12-M03; A12-V; A12-W11L; B02-E; B11-B; B11-C08D2; B12-A07; D05-C02;

CHEMICAL-CODES:

Chemical Indexing M1 *01* Fragmentation Code H401 H481 H8 H100 H101 H181 H182 H4 J0 J011 J012 J1 J171 J172 K0 L2L250 M280 M311 M312 M313 M314 M315 M321 M331 M332 M333 M340 M342 M343 M349 M381 M391 M421 M510 M520 M530 M540 M620 M720 M903 N131 N161 Q233 V050 V901 V913 V923 Ring Index 63917 Registry Numbers 1327U 0502U

POLYMER-MULTIPUNCH-CODES-AND-KEY-SERIALS: Key Serials: 0231 0306 3162 0418 1123 2020 2569 3264 3272 2769

Multipunch Codes: 014 034 04- 055 056 074 075 077 128 231 27& 473 53& 532 533 54& 623 624 642 645 720

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1990-006930

Clear



WEST

Help Logout Interrupt

Main Menu | Search Form | Posting Counts | Show S Numbers | Edit S Numbers | Preferences

Your wildcard search against 2000 terms has yielded the results below

Search for additional matches among the next 2000 terms

starting with: PEPTIDE\$(PEPTIDE/CFA).P29-P90,P92-P94,P24-P28,P21-P23,P1-P19.

Search Results -

Terms	Documents
epidermidis same (protein\$ or polypeptide\$ or peptide\$) same (isolat\$4 or purif\$4)	25

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Refine Search:

epidermidis same (protein\$ or
polypeptide\$ or peptide\$) same (isolat\$4
 or purif\$4)

Search History

Today's Date: 1/23/2002

DB Name	Query	<u>Hit</u> <u>Count</u>	<u>Set</u> Nam
USPT,PGPB,JPAB,EPAB,DWPI	epidermidis same (protein\$ or polypeptide\$ or peptide\$) same (isolat\$4 or purif\$4)	25	<u>L3</u>
USPT,PGPB,JPAB,EPAB,DWPI	epidermidis same (protein\$ or polypeptide\$ or peptide\$) same fibrinogen	1	<u>L2</u>
USPT,PGPB,JPAB,EPAB,DWPI	epidermidis same (protein\$ or polypeptide\$ or peptide\$)	148	<u>L1</u>